GRABO

PARQUET
FLOORING



PARQUET COLLECTION

GRABO

PARQUET
FLOORING

GRABO PARQUET COLLECTION

Structure
2

Why Grabo parquet?
3

8
Grabo Jive

28
Grabo Viking

34
Grabo Eminence



Joint systems 4

Click&Go! 6

76 Joll-e

Properties 78

72 Grabo Giant

Board sizes 5

Structure

Why Grabo parquet?

Unique design owing to our manual TLSS selection system.

Natural oiled surface for enhancing the beauty of real wood.

Durable, water-resistant surface - the solid wood surface is treated with Rangifer® UV varnish in seven layers.

Quick and easy installation with Välinge licence-based LOC (2G) and Click&Go! (5G) locking systems.

Environmental friendly, formaldehyde-free product - ISO 14001.

Prime product - the Grabo parquet produced by German technology with 30 years warranty.

Real wood flooring in your home

In the parquet plant of Graboplast, which has decades of experience, the most traditional building material is used to the highest standards with state of the art technology in order to create a wood flooring of absolute perfection.
Whether it is about traditional or mainstream, up-to-date design, quality raw materials and the structure of Grabo parquets guarantee long term satisfaction.

REAL WOOD RW12-01
www.realwood.eu

Harmonising with nature

While manufacturing Grabo parquets and thriving to achieve perfection, we always bear in mind that the raw material we use is the gift of nature. It is essential for us that wood used to manufacture our quality products should be from an authorised source which guarantees added value in harmony with nature and sustainable development.
Assurance and continuous supervision of this is our common interest.
This dedication made us decide to manufacture Grabo parquets to meet the principles of the internationally recognised PEFC Certificate while keeping sustainable forest management in mind.

PEFC

World standard in the heart of Europe

Manufacturing our CE marked products is done within the framework of rigorous quality and environmental management systems in order to continuously maintain guaranteed quality. At Graboplast, one of the largest parquet manufacturers of Europe, the reliability of these systems is certified by ISO9001 and ISO14001 standards.

TÜVRheinland® CERT ISO 9001 ISO 14001

Certified quality

Hundreds of thousands of satisfied customers provide a convincing proof of the quality of our products and inspections carried out by independent institutions certify to our international markets that Grabo parquets do stand the test worldwide.
Our products are certified to meet the rigorous criteria of the Finnish M1 (Emission Classification of Building Materials) quality label.

EMISSION CLASS FOR BUILDING MATERIAL M1

Among the leaders

Graboplast Ltd has a long history of being a permanent member of FEP (European Federation of the Parquet Industry) one of the most prominent professional organisations of the European parquet industry. Up-to-date information resulting from this membership also helps our customers to realise their dreams of even the highest standards using Grabo parquets.

Member of FEP
European Federation of the Parquet Industry

Joint Systems

Click&Go! Locking System

LOC joint system

T&G joint system

Board sizes

1 STRIP

3 STRIP

Grabo Jive

parquet Tolle

Grabo Viking

a cca. 3.6 mm
b 13.5 mm

Grabo eminence

a cca. 3.6 mm
b 13.5 mm

a cca. 2.8 mm
b 13.5 mm

Grabo giant



a cca. 3.6/5.2 mm
b 22 mm

Grabo eminence

Grabo Jive

Grabo Viking

Grabo giant

parquet Tolle

Grabo Parquet has never been so easy to install!

Click&Go! Locking System* by Graboplast

- Strong and robust joint system - ensured by an optimised profile and a glass fibre reinforced tongue on the short side of the board.
- Significantly improved efficiency leads to time and cost saving - achieved when installing flooring equipped with Click&Go! Locking system in comparison with other joint systems.
- The special design of the locking profile combined with the high performance glass fibre reinforced tongue offers superior function during climate changes and forces applied to the floor.

When a board is folded down, a flexible tongue is pushed into a groove. When it reaches its final position, the locking emits a "click" sound and locks the product both vertically and horizontally.



* Produced under license from Välinge Innovation AB

Tradition and elegance

Our most popular product range, which tastefully decorates hundreds of thousands of homes worldwide with its assortment of woods and colours.

OAK | natur
ice white lacquered

3 STRIP ICE WHITE LACQUERED

OAK | rustic
ice white lacquered

3 STRIP ICE WHITE LACQUERED

OAK | trend
ice white lacquered

3 STRIP ICE WHITE LACQUERED



OAK | rustic | ice white lacquered

ASH | natur
ice white lacquered

3 STRIP | ICE WHITE LACQUERED

ASH | classic
ice white lacquered

3 STRIP | ICE WHITE LACQUERED

OAK | natur | white lacquered



OAK | natur
| white lacquered
| white oiled

3 STRIP · WHITE LACQUERED · WHITE OILED



OAK | trend
| white lacquered

3 STRIP · WHITE LACQUERED · WHITE OILED



OAK | rustic
| white lacquered

3 STRIP · WHITE LACQUERED · WHITE OILED

ASH | classic | white lacquered



ASH | natur
| white lacquered

3 STRIP

WHITE LACQUERED



ASH | classic
white lacquered
white oiled

3 STRIP

ASH | natur | white lacquered

OAK | natur
lacquered
matt lacquered
oiled

3 STRIP · LACQUERED · MATT LACQUERED · OILED

OAK | trend
lacquered
matt lacquered
oiled

3 STRIP · LACQUERED · MATT LACQUERED · OILED

OAK | natur | lacquered

OAK | rustic | lacquered

OAK | rustic
| lacquered
| matt lacquered
| oiled

3 STRIP · LACQUERED · MATT LACQUERED · OILED

OAK | robust
| lacquered
| matt lacquered

3 STRIP · LACQUERED · MATT LACQUERED

ASH | natur
lacquered
matt lacquered

3 STRIP | LACQUERED | MATT LACQUERED

ASH | natur | lacquered

ASH | trend
lacquered
oiled

3 STRIP · LACQUERED · OILED



ASH | classic
lacquered
matt lacquered
oiled

3 STRIP · LACQUERED · MATT LACQUERED · OILED

OAK | rustic
antique lacquered

3 STRIP
ANTIQUE LACQUERED

OAK | rustic
honey antique lacquered

3 STRIP
HONEY LACQUERED
ANTIQUE LACQUERED

OAK | rustic | antique lacquered

OAK | rustic
| brown lacquered

3 STRIP | BROWN LACQUERED

OAK | rustic
| cocoa lacquered

3 STRIP | COCOA LACQUERED



OAK | trend
| honey lacquered

3 STRIP | HONEY LACQUERED



OAK | trend
| silky lacquered

3 STRIP | SILKY LACQUERED



OAK | trend
| brandy lacquered

3 STRIP | BRANDY LACQUERED

OAK | trend | honey lacquered

OAK | rustic
| brandy lacquered

3 STRIP BRANDY LACQUERED

ASH | classic
| brandy lacquered

3 STRIP BRANDY LACQUERED

OAK | **natur**
myst grey lacquered

3 STRIP
MYST GREY LACQUERED

OAK | **rustic**
myst grey lacquered

3 STRIP
MYST GREY LACQUERED



OAK | natur | myst grey lacquered

BEECH | natur
lacquered

3 STRIP LACQUERED

BEECH | trend
lacquered

3 STRIP LACQUERED

BEECH | trend | lacquered

BEECH | rustic
| lacquered

3 STRIP

LACQUERED

Style and Design

Special, three striped parquet with a brushed surface whose exciting yet harmonic appearance provides unique flooring.

Grabo
Viking

ASH | dark brushed | lacquered



OAK | softly brushed
| “only woood” lacquered

3 STRIP | ONLY WOOD LACQUERED | MATT SURFACE | SOFTLY BRUSHED



OAK | softly brushed
| “dio” lacquered

3 STRIP | DIO LACQUERED | MATT SURFACE | SOFTLY BRUSHED



ASH | dark brushed lacquered

3 STRIP · Dark · LACQUERED · MATT SURFACE · BRUSHED



OAK | dark brushed lacquered

3 STRIP · Dark · LACQUERED · MATT SURFACE · BRUSHED



OAK | softly brushed brandy dark lacquered

3 STRIP · BRANDY LACQUERED · MATT SURFACE · Dark · SOFTLY BRUSHED



OAK | softly brushed brown lacquered

3 STRIP · BROWN LACQUERED · MATT SURFACE · SOFTLY BRUSHED



OAK | light brushed
lacquered

3 STRIP · LACQUERED · MATT SURFACE · Light · BRUSHED

OAK | brushed
lacquered

3 STRIP · LACQUERED · MATT SURFACE · BRUSHED



ASH | light brushed
lacquered

3 STRIP · LACQUERED · MATT SURFACE · Light · BRUSHED



ASH | brushed
lacquered

3 STRIP · LACQUERED · MATT SURFACE · BRUSHED



OAK | softly brushed
myst grey lacquered

3 STRIP · MYST GREY LACQUERED · MATT SURFACE · SOFTLY BRUSHED



OAK | softly brushed
white lacquered

3 STRIP · WHITE LACQUERED · MATT SURFACE · SOFTLY BRUSHED



OAK | brushed | lacquered

Grabo
eminence

The art of parquet

Engineered parquets with single stripe top layer, which receive the recognition of even the most demanding users without having to make quality or aesthetic compromises.

OAK | natur
ice white lacquered

1 STRIP | ICE WHITE LACQUERED



OAK | robust
ice white lacquered

1 STRIP | ICE WHITE LACQUERED

OAK | natur
ice white lacquered

1 STRIP | ICE WHITE LACQUERED | 2-SIDE BEVELLED

OAK | robust | ice white lacquered | 2-side bevelled

OAK | rustic | ice white lacquered | softly brushed | 2-side bevelled



OAK | rustic
ice white lacquered
softly brushed

1 STRIP | ICE WHITE LACQUERED | SOFTLY BRUSHED | 2-SIDE BEVELLED

OAK | rustic
sandy lacquered

1 STRIP | SANDY LACQUERED | SOFTLY BRUSHED

OAK | rustic
sandy lacquered

1 STRIP | SANDY LACQUERED | SOFTLY BRUSHED | 4-SIDE BEVELLED

OAK | rustic | sandy lacquered | 4-side bevelled

OAK | rustic | matt lacquered



OAK | natur
| matt lacquered
| softly brushed

1 STRIP · MATT LACQUERED · SOFTLY BRUSHED

OAK | rustic
| matt lacquered
| oiled
| softly brushed

1 STRIP · MATT LACQUERED · OILED · SOFTLY BRUSHED

OAK | robust | olied

1 STRIP · OILED · 4-SIDE BEVELLED

OAK | rustic | oiled | softly brushed | 4-side bevelled

OAK | rustic oiled

1 STRIP | OILED | 4- SIDE BEVELLED



OAK | country oiled

1 STRIP | OILED | 4- SIDE BEVELLED

OAK | rustic
antique lacquered

1 STRIP | ANTIQUE LACQUERED | 2-SIDE BEVELLED



OAK | robust
brandy lacquered

1 STRIP | BRANDY LACQUERED | 4-SIDE BEVELLED



OAK | robust
| brown lacquered

1 STRIP | BROWN LACQUERED | 2-SIDE BEVELLED

OAK | rustic | antique lacquered | 2-side bevelled

OAK | rustic | lacquered | softly brushed

ASH | natur | ice white lacquered

1 STRIP

ICE WHITE LACQUERED

OAK | natur
| ice white lacquered

1 STRIP

ICE WHITE LACQUERED

OAK | natur | ice white lacquered



ASH | country
white lacquered

1 STRIP

WHITE LACQUERED

2-SIDE BEVELLED

ASH | natur | white lacquered



ASH | classic | white lacquered

ASH | natur
| white lacquered

1 STRIP

WHITE LACQUERED

ASH | classic
| white lacquered

1 STRIP

WHITE LACQUERED

OAK | rustic | white lacquered

OAK | natur
white lacquered

1 STRIP | WHITE LACQUERED



OAK | robust
white lacquered

1 STRIP | WHITE LACQUERED

OAK | robust
white lacquered

1 STRIP | WHITE LACQUERED | 2-SIDE BEVELLED

OAK | rustic | white lacquered | 2-side bevelled

OAK | rustic
white lacquered

1 STRIP | WHITE LACQUERED

OAK | rustic
white lacquered
softly brushed

1 STRIP | WHITE LACQUERED | SOFTLY BRUSHED | 2-SIDE BEVELLED

OAK | natur
| lacquered

1 STRIP | LACQUERED

OAK | natur
| matt lacquered
| softly brushed

1 STRIP | MATT LACQUERED | SOFTLY BRUSHED

OAK | natur | lacquered

ASH | natur | lacquered

1 STRIP · LACQUERED

OAK | rustic
| lacquered
| "only wood" lacquered

1 STRIP · LACQUERED · ONLY WOOD LACQUERED

OAK | rustic
| matt lacquered
| "only wood" lacquered
| softly brushed

1 STRIP · MATT LACQUERED · ONLY WOOD LACQUERED · SOFTLY BRUSHED

OAK | natur
oiled
softly brushed

1 STRIP · OILED · 2-SIDE BEVELLED



OAK | rustic
matt lacquered
oiled
softly brushed

1 STRIP · MATT LACQUERED · OILED · SOFTLY BRUSHED · 2-SIDE BEVELLED



OAK | country
oiled

1 STRIP · OILED · 4-SIDE BEVELLED



OAK | country
oiled
softly brushed

1 STRIP · OILED · SOFTLY BRUSHED · 2-SIDE BEVELLED

OAK | rustic | matt lacquered | softly brushed | 2-side bevelled



OAK | natur
oiled
softly brushed

1 STRIP | OILED | SOFTLY BRUSHED



OAK | rustic
oiled
softly brushed

1 STRIP | OILED | SOFTLY BRUSHED

OAK | natur | oiled



OAK | country
oiled
softly brushed

1 STRIP | OILED | SOFTLY BRUSHED



OAK | robust
matt lacquered
softly brushed

1 STRIP | MATT LACQUERED | SOFTLY BRUSHED



OAK | robust
brandy lacquered

1 STRIP | BRANDY LACQUERED

OAK | rustic
brandy lacquered

1 STRIP | BRANDY LACQUERED

OAK | rustic
brandy dark lacquered
softly brushed

1 STRIP | BRANDY LACQUERED | Dark | SOFTLY BRUSHED



ASH | classic
brandy lacquered

1 STRIP | BRANDY LACQUERED

OAK | rustic
honey lacquered

1 STRIP | HONEY LACQUERED

OAK | robust | brandy lacquered

OAK | rustic
antique lacquered

1 STRIP

ANTIQUE LACQUERED

OAK | rustic
honey antique lacquered

1 STRIP

HONEY LACQUERED

ANTIQUE LACQUERED

OAK | rustic | antique lacquered | 2-side bevelled

OAK | rustic
brown lacquered

1 STRIP | BROWN LACQUERED

OAK | country
brown lacquered

1 STRIP | BROWN LACQUERED | 2-SIDE BEVELLED

OAK | rustic
brown lacquered
softly brushed

1 STRIP | BROWN LACQUERED | SOFTLY BRUSHED

OAK | rustic |

OAK | rustic | brown lacquered | 2-side bevelled

"dio" lacquered | softly brushed | 4-side bevelled



OAK | rustic
"dio" lacquered
softly brushed

1 STRIP

DIO LACQUERED

SOFTLY BRUSHED

OAK | rustic | myst grey lacquered | softly brushed | 2-side bevelled

OAK | rustic
| myst grey lacquered
| softly brushed

1 STRIP | MYST GREY LACQUERED | SOFTLY BRUSHED

OAK | rustic
| myst grey lacquered

1 STRIP | MYST GREY LACQUERED

OAK | rustic | myst grey lacquered

Natural wood will always remain an ever-relevant, renewable and reparable material. For top quality parquet floorings the secret of long life is the combination of extreme strength granted by their basic components and the impeccable structural design.

Due to its versatile applicability, GRABO GIANT can be installed on virtually any site, irrespective of the method of its construction, and is likely to become the highlight of any residential or sports interior. The 22 mm thickness and a reinforced joint system account for the superb mechanical properties of GRABO GIANT.



A Hardwood top layer

B Solid pine middle layer

C Bottom: 3 layer plywood

Properties:

Hardwood top layer: Oak / Ash
Overall thickness: 22 mm
Thickness of the top layer cca.: 3.6 mm
Board size: 2250 x 190 mm
Joint system : TG+

The Power of Nature

Using a construction technology of any kind, this extremely powerful and widely applicable engineered parquet product range with an overall thickness of 22 mm, which is specially developed to withstand extreme loads, might well be the greatest ornament of the interior.



ASH | classic
white lacquered

3 STRIP | T&G SYSTEM | WHITE LACQUERED



OAK | rustic
white lacquered

3 STRIP | T&G SYSTEM | WHITE LACQUERED

OAK | rustic | white lacquered

ASH | classic
| matt lacquered

3 STRIP | T&G SYSTEM | MATT LACQUERED

OAK | rustic
| matt lacquered

3 STRIP | T&G SYSTEM | MATT LACQUERED



OAK | rustic
natural look lacquered

Properties:

Hardwood top layer: Oak
Overall thickness: 13.5 mm
Thickness of the top layer cca.: 3.6 mm
Board size: 2250 x 190 mm
Joint system : LOC | TG

Bringing the Future Closer

Residential parquets providing a lasting solution with a natural appearance. Due to their economical properties, they make the benefits of having real parquets available for more and more people.

1 strip

3 strip

T&G joint system

Click joint system

Click joint system

2-side bevelled

4-side bevelled

Softly brushed

Brushed

Light brushed

Dark brushed

Lacquered

"Only wood" lacquered

Matt lacquered

Matt surface

White oiled

Oiled

Brown oiled

Natural look lacquered

Ice white lacquered

White lacquered

Sandy lacquered

Antique lacquered

"Dio" lacquered

Brown lacquered

Brandy lacquered

Silky lacquered

Honey lacquered

Cocoa lacquered

GRABO

PARQUET FLOORING

GRABOPLAST

Graboplast Floor Covering Manufacturers Ltd.
H-9023 Győr, Fehérvári út 16/b.
E-mail: info@graboplast.hu
www.graboplast.hu
www.facebook.com/graboplast

Distributed by: